May-13-13 11:14:13 AM Item ID: D4026-041 Accept \*N900040100\* Setup Start Revision 1D: Item Name: Fuel Gauge Assembly **Start Date:** 5/13/13 Start Qty: 1.00 **Cust Item ID:** Required Date: 5/24/13 **Req'd Qty:** 1.00 **Customer:** Reference: Run Start Process Plan: MLJ Date: 13-05/3 Tooling: Approvals: Date: Stop Date: \_\_\_\_\_ SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Tool ID Tool # Plan Reject Reject Accept Insp. Work Center ID **Description Run Hours** Qty Qty Code Number Stamp **Revision Nbr Draw Nbr** D4026 Α 100 0.00 \*100\* Small Fab 0.00 Memo Small Fab Assemble as per dwg notes 110 QC5- Inspect part completeness to step on W/O \*110\* QC Memo Quality Control Identify as per dwg & Stock Location: ST 241B 120 0.00 \*120\* Packaging 0.00 Memo Packaging

May-13-13 11:14:13 AM Item ID: D4026-041 Accept \*N900040100\* Setup Start **Revision ID:** Item Name: Fuel Gauge Assembly **Start Date:** Start Qty: 1.00 5/13/13 **Cust Item ID:** Required Date: 5/24/13 Req'd Qty: 1.00 **Customer:** Reference: Run Process Plan: Approvals: Date: \_ \_\_\_\_\_ Tooling: Date: Stop Date: SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Tool # Plan Reject Tool ID Reject Accept Insp. Work Center ID Description Run Hours Qty Qty Number Stamp Code 130 QC21- Final Inspection - Work Order Release 0.00 \*130\* OC 0.00 Memo Quality Control

13/5/18

## **Picklist Print**

May-13-13 11:14:18 AM

Work Order ID: 101451

\*101451\*

Parent Item:

D4026-041

\*D4026-041\* Parent Item Name: Fuel Gauge Assembly

**Start Date: 5/13/13** 

Required Date: 5/24/13

Start Qty: 1.00


Required Qty: 1.00

Comments:

IPP Rev:A 10.05.17 as per ECN10-562 DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4014-1		Manufactured	No	<del></del>		100	Each	2.0000	1	1	01		7
* <b>D4014-1</b> * Switch Plate									**	/	P/S/	<u>3/0s</u>	-/13
				<b>Location</b>		Loc	<u>Qty</u>	Loc Code				/	/
				ST084			2				_		,
					80024		2				_ /	,	
D4014-3		Manufactured	No			100	Each	40.0000	1	1 -	011	/	. /
*D4014-3*									**	——- <i>(</i>	<i>\$\)</i> \( \)	3/05	13
				Location		Loc	<u>Oty</u>	Loc Code				,	l
				ST084			40				/		
					84344		40		<u></u>	_1_	_	,	1
D4026-I		Manufactured	No			100	Each	3.0000	1	1	$\Omega$	/	/
*D4026-1* Fuel Gauge									**		1/2/3	105	[13]
				Location		Loc (	<u>Oty</u>	Loc Code			,	' · /	
				ST242B			3						
					100262		2				_		
					82822		1					•	

ITEM NO.	QTY. -041	PART NUMBER	DESCRIPTION	JOHN CAMERON AVIATION PART NUMBER
11	Х	D4026-041	FUEL GAUGE ASSEMBLY	FL-100-R-JCA (REF)
2	1	D4026-1	FUEL GAUGE	
3	1	D4014-1	SWITCH PLATE	
4	1	D4014-3	GAUGE COVER	
5	A/R		DOUBLE SIDED TAPE	





## D4026-041 FUEL GAUGE ASSEMBLY

NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4026-041" AND B/N USING FINE POINT PERMANENT INK MARKER
7) WEIGHT: 0.24 lbs
8) ATTACH D4014-3 GAUGE COVER USING DOUBLE SIDED TAPE
9) D4014-1 SWITCH COVER INCLUDED WITH ASSEMBLY, INSTALLED DURING GAUGE INSTALLATION IN AIRCRAFT

A NEW ISSUE 10.02.05 REV. DESCRIPTION BY DATE DESIGN DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWN DRAWING NO. CHECKED REV. A D4026 MFG. APPR. SHEET 1 OF 2 APPROVED TITLE SCALE DE APPR. **FUEL GAUGE** NTS COPYRIGHT © 2010 BY DART AEROSPACE LTD

THE DOCUMENT OF PRIVATE AND CONFIDENTIAL ANGUIS SUPPLES ON THE EXPRESS CONSTRON THAT IT IS
NOT TO BE USED FOR ANY PARTOSE ON COMMINISATIO TO ANY OTHER PERSON WITHOUT
WESTER HEROSCO DATE 10.02.05

3


2

2

DART AEROSPACE PART NUMBER JOHN CAMERON AVIATION PART NUMBER D4026-1 FL-100-R-JCA

D

**SPECIFICATION CONTROL DRAWING** 



SHOPCON Rid odes ENCE OF THE UNCONTROL FOR SUBJECT TO 1 10 101 13 US 13

DART PART NUMBER	MANUFACTURER	MANUFACTURER PART NUMBER	POSSIBLE SUPPLIER	SUPPLIER PART NUMBER	OPERATING TEMPERATURE	POWER CONSUMPTION	SENSORS SUPPORTED	OPERATING VOLTAGE
D4026-1	AEROSPACE LOGIC INC.	FL-100-R	AIRCRAFT SPRUCE AND SPECIALTY	10-00304	-15°C TO +55°C 5°F TO 131°F	450 mA MAX (DAY OPERATION) 60mA MIN (NIGHT OPERATION	RESISTIVE SENSORS OF ALL TYPES RMAX = 300 OHMS RMIN = 0 OHMS	6 - 32 VDC

## **D4026-1 FUEL GAUGE**

NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: N/A

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA CHECKED DRAWING NO. D4026 MFG. APPR. APPROVED TITLE

DE APPR. DATE 10.02.05

SCALE FUEL GAUGE COPYRIGHT © 2010 BY DART AEROSPACE LTD

THIS DOCUMENT OF THE AME CORPORATION LINED IS SEPTIMED ON THE COPYRISTS CONTINUE WHITH IT INTO TO BE USED FOR HER THAT OF THE COPYRISTS OF COMPLETE COMPLETED TO A HER COPYRISTS WITHOUT MAINTEN PROSPECTED.

\*\*CONTINUE THAT COPYRISTS HER CONTINUE THAT COPYRISTS WITHOUT THAT COPYRISTS HER COPYRISTS H

DESIGN

DRAWN

NTS

REV. A

SHEET 2 OF 2